

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	((home adj agent) or HA) with (load\$3 or overload\$3)) same (echo or ICMP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:52
L2	1	1 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:19
L3	14	((home adj agent) or HA) same (load\$3 or overload\$3)) same (echo or ICMP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:21
L4	6	3 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:22
L5	734	((home adj agent) or HA) with (load\$3 or overload\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:22
L6	118	((home adj agent) with (load\$3 or overload\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:47
L7	226	(5 or 6) and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:22

L8	124	7 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:53
L9	59	8 and ((time\$1 or count\$3) with (activity or inactivity or active or idle or inactive or dormant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:23
L10	70	((home adj agent) and (load\$3 or overload\$3))	EPO; JPO; DERWENT	OR	ON	2005/09/29 16:48
L11	5	10 and @pd<"20020214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:48
L12	25	(home adj agent) and echo and ICMP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:53
L13	54	(home adj agent) and echo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:53
L14	32	13 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:53
L15	0	("2003/0153324").URPN.	USPAT	OR	ON	2005/09/29 17:05
L16	0	("2003/0153325").URPN.	USPAT	OR	ON	2005/09/29 17:05

S1	35	((home adj agent) with (load\$3 or overload\$4)) same (mobile near2 (IP or (internet adj protocol)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 14:11
S2	24	((((home adj agent) with (load\$3 or overload\$4)) same (mobile near2 (IP or (internet adj protocol)))) and (@rlad<"20020307" or @ad<"20020307"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 14:13
S3	1	((((home adj agent) or HA) with (load\$3 or overload\$4)) same ((releas\$3 or inactiv\$6) with (session or connection)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:03
S4	2	((("0105171") or ("0131952"))).PN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 15:29
S5	7	((("200105171") or ("200131952"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 15:29
S6	2	((("200054523") .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 17:07
S7	1	2000-558625.NRAN.	DERWENT	OR	OFF	2004/08/03 17:08
S8	1	2001-265632.NRAN.	DERWENT	OR	OFF	2004/08/03 17:09
S9	1	2001-425147.NRAN.	DERWENT	OR	OFF	2004/08/03 17:19

S10	2	("20030119506").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 16:52
S11	2	("20030099219").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 16:53
S12	2	("20020154627").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 16:54
S13	2	("6424639").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 16:55
S14	2	(((home adj agent) or HA) with (ICMP near2 (echo or request))) same (destination near3 error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:03
S15	2	(((home adj agent) or HA) same (ICMP near2 (echo or request))) same (destination near3 error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:03

S16	2	(((home adj agent) or HA) same ICMP) same (destination near3 error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:04
S17	58	((home adj agent) or HA) same ICMP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:04
S18	1	releas\$3 with inactiv\$5 with mobile with ((home adj agent) or HA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:06
S19	30	(destination near3 error) with mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:07
S20	2	((destination near3 error) with mobile) and ((home adj agent) or HA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:07
S21	1551	(destination near3 error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:07
S22	28	((destination near3 error) ) and ((home adj agent) or HA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:07

S23	23	(((((destination near3 error) ) and ((home adj agent) or HA)) and (load\$3 or overload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:07
S24	22	(((((destination near3 error) ) and ((home adj agent) or HA)) and (load\$3 or overload\$3)) and (@rlad<"20020307" or @ad<"20020307"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 17:08
S25	2	("20030060200").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 08:56
S26	58	((home adj agent) or HA) and (MIP or (mobile near2 (IP or (internet adj protocol)))) and ((active or inactive or inactivit\$4 or idl\$3 or activit\$4 or dormant) with (IP or (internet adj protocol)) with (connection or link or session))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 14:32
S27	32	((home adj agent) or HA) and (MIP or (mobile near2 (IP or (internet adj protocol)))) and ((active or inactive or inactivit\$4 or idl\$3 or activit\$4 or dormant) with (IP or (internet adj protocol)) with (connection or link or session)) ) and (@rlad<"20020307" or @ad<"20020307"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:28
S28	76	((home adj agent) or HA) same (mobility adj binding)) and (MIP or (mobile near2 (IP or (internet adj protocol))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 14:33
S29	55	((home adj agent) or HA) same (mobility adj binding)) and (MIP or (mobile near2 (IP or (internet adj protocol)))) ) and (@rlad<"20020307" or @ad<"20020307"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:28

S30	1	((((home adj agent) or HA) same (mobility adj binding)) and (MIP or (mobile near2 (IP or (internet adj protocol)))) and (@rlad<"20020307" or @ad<"20020307")) and ((mobility adj binding) same ((inactivit\$4 or idl\$3 or activit\$4 or dormant) with (IP or (internet adj protocol)) with (connection or link or session)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:30
S31	2	((((home adj agent) or HA) same (mobility adj binding)) and (MIP or (mobile near2 (IP or (internet adj protocol)))) and (@rlad<"20020307" or @ad<"20020307")) and ((mobility adj binding) same ((inactivit\$4 or idl\$3 or activit\$4 or dormant) with (registration or connection or link or session)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 12:16
S32	23	((((home adj agent) or HA) same (mobility adj binding)) and (MIP or (mobile near2 (IP or (internet adj protocol)))) and (@rlad<"20020307" or @ad<"20020307")) and (overload\$3 or load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 09:30
S33	14	((((home adj agent) or HA) same (mobility adj binding)) and (MIP or (mobile near2 (IP or (internet adj protocol)))) and (@rlad<"20020307" or @ad<"20020307")) and (overload\$3 or load\$3)) and (((home adj agent) or HA) same (overload\$3 or load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 12:13
S34	1	(((home adj agent) or HA) same (mobility adj binding)) and (MIP or (mobile near2 (IP or (internet adj protocol)))) and qualcomm.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 12:39
S35	2	(((home adj agent) or HA) same (mobility adj binding) same ((inactivit\$4 or idl\$3 or activit\$4 or dormant) with (registration or connection or link or session))) and (@rlad<"20020307" or @ad<"20020307"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 12:17
S36	26	((home adj agent) or HA) and qualcomm.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 12:44



S37	2	("6738362").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 12:44
S38	0	"6707809".URPN.	USPAT	OR	ON	2004/08/05 13:09
S39	17	("5305466"   "5442633"   "5577105"   "5625884"   "5793762"   "5898780"   "5910946"   "5920699"   "6018657"   "6065120"   "6070243"   "6115390"   "6161008"   "6195546"   "6272129"   "6466571"   "6560217").PN.	USPAT	OR	ON	2004/08/05 13:09
S40	38	((home adj agent) with (load\$3 or overload\$4)) same (mobile adj2 (IP or (internet adj protocol)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 14:11
S41	17	S40 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 15:01
S42	60	((((home adj agent) or HA) with (mobility adj binding)) same (MIP or (mobile near2 (IP or (internet adj protocol))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 14:34
S43	3	(mobility adj binding) same (time\$3 with ((home or care-of or (care adj of)) adj address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 14:37
S44	4	((mobility adj binding) or MBR) same (time\$3 with ((home or care-of or (care adj of)) adj address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 14:38



S45	5	("20020046277"   "5953662"   "6195705"   "6560217"   "6577644").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/30 14:59
S46	239	(warrier near2 chandra).in. or utstarcom.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 15:01
S47	64	S46 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 15:50
S48	57	((home adj agent) or HA) and (mobile adj IP) and ((mobility adj binding) or MB or MBR) and ((home or care-of or (care adj of) adj address) and lifetime and time\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:49
S49	36	S48 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:49
S50	1551	ICMP with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:48
S51	97	S50 and ((home adj agent) or HA) and (mobile adj IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:49
S52	51	S51 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 08:11

S53	87	(home adj agent) with (load\$3 or overload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 08:10
S54	25	((home adj agent) with (load\$3 or overload\$3)) same (lifetime or time\$2 or idle or inactive or inactivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 08:11
S55	15	S54 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 10:00
S56	96	echo adj request adj message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 10:05
S57	72	S56 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 10:07
S58	26	(ICMP or (internet adj2 message adj protocol)) and ((echo adj (request or reply)) same (load\$3 or overload\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 10:06
S59	16	S58 and (@rlad<"20020214" or @ad<"20020214")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 15:12

S60	10	SHEHA.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 15:14
S61	17	situation.tl. and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 15:15